



Australian Government

Security Construction
& Equipment Committee

CERTIFICATE OF APPROVAL – CLASS C



Class C - BiLock FA35R199DCP double-broached cam lock FA35R199DCP

Double-broached chrome-plated cam lock, 90 degree rotation with key removal in the unlocked position. Supersedes FA33R19DCP model.

HAS BEEN APPROVED FOR
Container locks – Class C

CONDITIONS OF APPROVAL

Only to be used as the after-hours lock on a SCEC-approved electronic key container. Not to be used to secure other Class C security containers.

SUPPLIED BY

Australian Lock Company Pty Ltd
17 Doyle Avenue
Unanderra NSW 2526
T: 02 4260 5700
F: 02 4272 4527
E: customerservice@australianlock.com.au

APPROVAL GRANTED

12/05/2015



Chair
Security Construction and
Equipment Committee

SECURITY EQUIPMENT RATINGS

Class ratings apply a 'Good, Better, Best' philosophy to security products that protect Security Classified Material, Class A being the most secure through to Class C the least secure. The following includes a brief description of the relative resistance levels offered by each Class rating:

Class A

Class A containers and locking devices are designed to protect Security Classified Material. They offer a high level of resistance to surreptitious and covert attack, and a high level of resistance to forcible attack.

Class B

Class B containers and locking devices are designed to protect Security Classified Material. They offer a high level of resistance surreptitious and covert attack, and a low level of resistance to forcible attack.

Class C

Class C containers and locking devices are designed to protect Security Classified Material. They offer a medium level of resistance to surreptitious and covert attack, and a low level of resistance to forcible attack.